

M&J BLOOMFIELD

FUNGI & LICHENS STOCK LIST

DECEMBER 2009 v1.3.00

Contact: M&J Bloomfield, PO Box 3730, Maidenhead, Berkshire, SL6 2UY
Tel: +44 (0) 7594918727
Email: admin@mandjbloomfield.com

FUNGI

| | |
|--|-------------------------------------|
| <i>Agaricus sylvicola</i> | Wood mushroom |
| <i>Amanita fulva</i> | Tawny Grisette |
| <i>Amanita muscaria</i> | Fly agaric |
| <i>Amanita pantherina</i> | The Panther |
| <i>Boletus edulis</i> | Cep or Penny Bun |
| <i>Cladonia fimbriata</i> | Cup Lichen |
| <i>Coprinus micaceus</i> | Glistening Ink Cap |
| <i>Cortinarius alboviolaceus</i> | Pearly Webcap |
| <i>Cortinarius bulliardii</i> | Hotfoot Webcap |
| <i>Cortinarius dionysae</i> | |
| <i>Cortinarius percomis</i> | |
| <i>Daedaleopsis confragosa</i> | Blood-stained Bracket |
| <i>Daldinia concentrica</i> | King Alfred's Cakes or Cramp Balls |
| <i>Evernia prunastri</i> | Lichen |
| <i>Fomes fomentarius</i> | Tinder Bracket |
| <i>Galerina marginata</i> | Funeral Bell |
| <i>Ganoderma applanatum</i> | Artist's Bracket |
| <i>Geastrum triplex</i> | Collared Earth Star |
| <i>Helvella crispa</i> | Common White Saddle |
| <i>Heterobasidion annosum</i> | Root rot |
| <i>Hygrophorus pudorinus</i> | Rosy Woodwax |
| <i>Hypholoma capnoides</i> | Conifer tuft |
| <i>Hypholoma fasciculare</i> | Sulphur Tuft |
| <i>Kuehneromyces mutabilis</i> | Sheathed Woodtuft |
| <i>Lactarius brittanicus brittanicus</i> | |
| <i>Lactarius blennius</i> | Beech Milk Cap |
| <i>Lactarius mitissimus</i> | |
| <i>Lactarius piperatus</i> | Peppery Milk Cap |
| <i>Lactarius torminosus</i> | Woolly Milk Cap |
| <i>Lactarius vellereus</i> | Fleecy Milkcap |
| <i>Laetiporus Sulphureus</i> | Chicken of the Woods |
| <i>Leccinum oxydabile</i> | |
| <i>Limacella illinita</i> | |
| <i>Lycoperdon echinatum</i> | Spiny Puffball |
| <i>Lycoperdon perlatum</i> | Common Puffball |
| <i>Lycoperdon pyriforme</i> | Stump Puffball |
| <i>Macrocystidia cucumis</i> | Cucumber Cap |
| <i>Macrolepiota procera</i> | Parasol |
| <i>Marasmius alliaceus</i> | Garlic Parachute |
| <i>Merulius tremellosus</i> | |
| <i>Mycena alcalina</i> | |
| <i>Mycena arcangeliana</i> | Angel's Bonnet |
| <i>Mycena epipterygia</i> | Yellow-stemmed mycena |
| <i>Mycena haematopus</i> | Burgundydrop Bonnet |
| <i>Mycena rosella</i> | Pink Bonnet |
| <i>Oudemansiella mucida</i> | Slimy Beech Cap or Porcelain Fungus |
| <i>Oxyporus populinus</i> | Popular Bracket |
| <i>Plicatura crispa</i> | |
| <i>Piptoporus betulinus</i> | Birch Polypore |

| | |
|-------------------------------|----------------------|
| <i>Pleurotus cornucopiae</i> | Branching Oyster |
| <i>Polyporus squamosus</i> | Dryad's saddle |
| <i>Psathyrella obtusata</i> | |
| <i>Ramalina canariensis</i> | |
| <i>Sarcodon imbricatus</i> | Scaly Tooth |
| <i>Sarcoscypha austriaca</i> | |
| <i>Scleroderma verrucosum</i> | Scaly Earthball |
| <i>Trametes hirsuta</i> | Hairy Bracket |
| <i>Trametes versicolor</i> | Turkeytail |
| <i>Tricholoma sulphureum</i> | Sulphur Knight |
| <i>Xanthoria parietina</i> | Common Orange Lichen |
| <i>Xylaria hypoxylon</i> | Candlesnuff Fungus |